

USZCZELKI ARMET BA-950

Średnicazew. [mm]	Średnica wew. [mm]	Wysokość [mm]	Średnicazew. [mm]	Średnica wew. [mm]	Wysokość [mm]	Średnicazew. [mm]	Średnica wew. [mm]	Wysokość [mm]
15	10	3,5	38	26	8	58	44	12
17	11	5	38,2	25,4	6,4	60	32	8
19	12	3,5	39	20	10	60	40	10
20	14	5	39	29	7	60	45	7
22	14	4	40	24	8	60	50	8
22	14	5	40	25	8	60	50	10
22	15	3,5	40	26	7	62	36	8
24	8	6	40	30	10	64	42	10
24	10	6	42	18	7	64	44	10
24	14	5	42	26	8	65	44	10
24	16	8	42	27	8	65	45	10
25	14	6	42	32	8	67	45	6,5
26	14	8	44	26	9	67	53	9,5
27	19	4	44	28	8	70	44	10
28	14	7	44	33	8	70	50	10
28	16	6	45	28	8	70	60	10
28	18	5	45	30	7	70	63	10

30	16	7	45	32	10	74	50	12
30	18	6	45	35	10	75	52	10
30	20	10	46	24	10	75	55	10
30	21	4,5	46	30	8	75	61	10
30	21	7	47	26	8	76	50	8
32	16	8	47	37	8	77	63	12
32	18	7	48	28	8	79	55	12
32	20	6	48	32	8	80	55	10
32	20	8	48	36	8	80	60	10
32	22	8	50	30	10	83	67	8
32	23	4,5	50	32	8	85	60	12
32	24	4	50	32	10	87	71	11
32	24	5	50	34	8	90	60	10
32	24	8	50	35	8	90	65	12
34	18	7	52	32	10	95	70	12
34	20	7	52	36	8	100	70	15
34	22	7	52	40	6	100	84	12
34	22	8	52	41	6	107	75	15
34	24	5	54	38	8	107	91	11
34	24	8	55	26	8	110	94	8
34	26	6	55	26	10	120	90	15

34	27	7		55	30	10		122	104	8
35	25	4,5		55	35	10		150	120	15
35	25	7		55	36	9		152	145	4,2
36	22	7		55	40	7		163,4	155,4	6,3
36	24	6		55	45	10		194	183	8
36	25	6		56	36	10		204	197	4,2
37	25	6		57	41	8		216	198	8
38	20	9		57	45	9		242	227	12
38	22	8		58	40	8				
38	24	8		58	44	10				



ZAOPATRZENIE I DORADZTWO TECHNICZNE